

## DEPARTMENT OF DISABILITIES, AGING AND INDEPENDENT LIVING

Division of Licensing and Protection HC 2 South, 280 State Drive

Waterbury VT 05671-2060 http://www.dail.vermont.gov

Survey and Certification Voice/TTY (802) 241-0480

To Report Adult Abuse: (800) 564-1612

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

February 22, 2016

Sue Cutting, Manager Ave Maria Community Care Home 19 School Street Richford, VT 05476-1130

Dear Ms. Cutting:

The Division of Licensing and Protection completed a complaint investigation at your facility on **February 10, 2016**. The purpose of the investigation was to determine if your facility was in compliance with Residential Care Home Licensing Regulations. There were no regulatory violations as a result of this investigation.

If you have any questions regarding this report, please feel free to contact this office at (802) 241-0480.

Sincerely,

Pamela Cota, RN Licensing Chief

FamlaMCVaRN

Enclosure

Division of Licensing and Protection (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION (X1) PROVIDER/SUPPLIER/CLIA STATEMENT OF DEFICIENCIES COMPLETED AND PLAN OF CORRECTION **IDENTIFICATION NUMBER:** A, BUILDING: \_ C 02/10/2016 B. WING 0005 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 19 SCHOOL STREET **AVE MARIA COMMUNITY CARE HOME** RICHFORD, VT 05476 PROVIDER'S PLAN OF CORRECTION (X5) COMPLETE SUMMARY STATEMENT OF DEFICIENCIES (X4) ID (EACH CORRECTIVE ACTION SHOULD BE (EACH DEFICIENCY MUST BE PRECEDED BY FULL PREFIX **PREFIX** DATE CROSS-REFERENCED TO THE APPROPRIATE REGULATORY OR LSC IDENTIFYING INFORMATION) TAG TAG DEFICIENCY) R100 R100 Initial Comments: An unannounced onsite investigation of a complaint was conducted by the Division of Licensing and Protection on 2/10/2016. There were no regulatory deficiencies identified as a result of the investigation.

Division of Licensing and Protection LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

FT6Q11